

W3C XML Schemas For Publishing

5.8.xml: Getting Started

```
<?xml version="1.0" encoding="UTF-8"?>
<procedure xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="ex_5.8.xsd">
  <title>CNC Router Lubrication</title>
  <author>Don Wallace</author>
  <department>Research and Development</department>
  <revisionDate>2006-04-01</revisionDate>
  <abstract>
```

The Larken 2424 CNC Router is a high-speed computer-controlled woodworking tool. It was purchased new in 2004 and was fully lubricated when purchased. The need for further lubrication depends on the number of hours of use as well as the elapsed calendar time. With heavy usage, the machine should be lubricated every 9 months (lubrication interval should always be less than 18 months).

Each of the three screw drives should be lubricated with a dry Teflon spray. Do not use any wet lubricants, as they will attract dust and cause fouling. Before applying the lubricant, remove dust from screw mechanisms using compressed air

5.8.xml: Getting Started (last)

and a clean brush.

```
</abstract>
```

```
</procedure>
```

5.8.xsd: Getting Started

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" >

  <xs:element name="procedure">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="title" type="xs:string"/>
        <xs:element name="author" type="xs:string"/>
        <xs:element name="department" type="xs:string"/>
        <xs:element name="revisionDate" type="xs:date"/>
        <xs:element name="abstract" type="xs:string"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

</xs:schema>
```

About Example 5.8

- In this example, all types are defined locally.
- Note that the type of the `revisionDate` element is `xs:date`.

5.9.xml: Getting the Text Right

```
<?xml version="1.0" encoding="UTF-8"?>
<procedure xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="ex_5.9.xsd">
  <title>CNC Router Lubrication</title>
  <author>Don Wallace</author>
  <department>Research & Development</department>
  <revisionDate>2006-04-01</revisionDate>
  <abstract>
    <paragraph>
      The Larken® 2424 CNC Router is a high-speed
      computer-controlled woodworking tool. It was purchased
      new in 2004 and was fully lubricated when purchased.
      The need for further lubrication depends on the number
      of hours of use as well as the elapsed calendar time.
      With heavy usage, the machine should be
      lubricated every 9 months (lubrication interval should always
      be < 18 months).
    </paragraph>
    <paragraph>
      Each of the three screw drives should be lubricated with a dry
```

5.9.xml: Getting the Text Right (last)

Teflon spray. Do not use any wet lubricants, as they will attract dust and cause fouling. Before applying the lubricant, remove dust from screw mechanisms using compressed air and a clean brush.

```
</paragraph>
```

```
</abstract>
```

```
<details>
```

The detailed procedure will go right here!

```
</details>
```

```
</procedure>
```

5.9.xsd: Getting the Text Right

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" >

<xs:element name="procedure">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="title" type="xs:string"/>
      <xs:element name="author" type="xs:string"/>
      <xs:element name="department" type="xs:string"/>
      <xs:element name="revisionDate" type="xs:date"/>
      <xs:element name="abstract">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="paragraph" type="xs:string"
              minOccurs="1" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="details" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:schema>
```

5.9.xsd: Getting the Text Right (last)

```
</xs:complexType>  
</xs:element>  
  
</xs:schema>
```

About Example 5.9

- In this example, all types can still be defined locally.
- General entities and character references have no counterpart in the W3C Schema.

5.10.xml: Adding Mixed Content

```
<?xml version="1.0" encoding="UTF-8"?>
<procedure xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="ex_5.10.xsd">
  <title>CNC Router Lubrication</title>
  <author>Don Wallace</author>
  <department>Research & Development</department>
  <revisionDate>2006-04-01</revisionDate>
  <abstract>
    <paragraph>
      The <equipment>Larken&#174; 2424 CNC Router</equipment>
      is a high-speed computer-controlled
      woodworking tool. It was purchased new in 2004 and was fully
      lubricated when purchased. The need for further lubrication
      depends on the number of hours of use as well as the elapsed
      calendar time. With heavy usage, the machine should be
      lubricated every 9 months (lubrication interval should always
      be &lt; 18 months).
    </paragraph>
    <paragraph>
      Each of the three screw drives should be lubricated with a dry
```

5.10.xml: Adding Mixed Content (last)

```
<supply>Teflon spray</supply>. Do not use any wet lubricants,  
as they will  
attract dust and cause fouling. Before applying the lubricant,  
remove dust from screw mechanisms using compressed air  
and a clean brush.
```

```
</paragraph>
```

```
</abstract>
```

```
<details>
```

```
  The detailed procedure will go right here!
```

```
</details>
```

```
</procedure>
```

5.10.xsd: Adding Mixed Content

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" >

<xs:element name="procedure">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="title" type="xs:string"/>
      <xs:element name="author" type="xs:string"/>
      <xs:element name="department" type="xs:string"/>
      <xs:element name="revisionDate" type="xs:date"/>
      <xs:element name="abstract">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="paragraph" type="ParagraphType"
              minOccurs="1" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="details" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:schema>
```

5.10.xsd: Adding Mixed Content (last)

```
</xs:complexType>
</xs:element>

<xs:complexType name="ParagraphType" mixed="true">
  <xs:choice minOccurs="0" maxOccurs="unbounded">
    <xs:element name="equipment" type="xs:string"/>
    <xs:element name="supply" type="xs:string"/>
  </xs:choice>
</xs:complexType>

</xs:schema>
```

About Example 5.10

- `ParagraphType` is defined at the global level.
- The definition for `ParagraphType` includes the attribute `mixed="true"` to allow mixed content.
- The `xs:choice` element is used to make the modifying elements optional within the running text of the `paragraph` element.

5.11.xml: Adding <details>

```
<?xml version="1.0" encoding="UTF-8"?>
<procedure xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="ex_5.11.xsd">
  <title>CNC Router Lubrication</title>
  <author>Don Wallace</author>
  <department>Research & Development</department>
  <revisionDate>2006-04-01</revisionDate>
  <abstract>
    <paragraph>
      The <equipment>Larken&#174; 2424 CNC Router</equipment>
      is a high-speed computer-controlled
      woodworking tool. It was purchased new in 2004 and was fully
      lubricated when purchased. The need for further lubrication
      depends on the number of hours of use as well as the elapsed
      calendar time. With heavy usage, the machine should be
      lubricated every 9 months (lubrication interval should always
      be &lt; 18 months).
    </paragraph>
    <paragraph>
      Each of the three screw drives should be lubricated with a dry
```

5.11.xml: Adding <details> (cont.)

```
<supply>Teflon spray</supply>. Do not use any wet lubricants,  
as they will  
attract dust and cause fouling. Before applying the lubricant,  
remove dust from screw mechanisms using compressed air  
and a clean brush.
```

```
</paragraph>
```

```
</abstract>
```

```
<details>
```

```
<frequency>Every 9 to 18 months</frequency>
```

```
<duration>1 hour</duration>
```

```
<steps>
```

```
<step name="Determine Need for Lubrication">
```

```
<paragraph>Follow the schedule defined elsewhere in  
this procedure. If the machine should start to make a  
persistent squeaking or howling noise, lubricate the screw  
mechanism causing the noise immediately.</paragraph>
```

```
</step>
```

```
<step name="Procure Supplies">
```

```
<paragraph>Use only dry <supply>Teflon spray</supply>.
```

```
</paragraph>
```

5.11.xml: Adding <details> (last)

```
</step>
<step name="Clean Machine First">
  <paragraph>Using the shop vac or a fine brush, remove any
  dust or chips from all parts of the router. Pay particular
  attention to removing dust from each screw
  mechanism.</paragraph>
  <paragraph>Take special care not to damage the threads of
  a screw mechanism while cleaning. <warning>Do not use
  any liquid or spray cleaners.</warning>
  </paragraph>
</step>
<step name="Apply Lubricant">
  <paragraph>Spray each screw mechanism lightly with the
  lubricant. Clean any overspray off of visible machine parts
  using a soft damp cloth.</paragraph>
</step>
</steps>
</details>
</procedure>
```

5.11.xsd: Adding <details>

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" >

<xs:element name="procedure">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="title" type="xs:string"/>
      <xs:element name="author" type="xs:string"/>
      <xs:element name="department" type="xs:string"/>
      <xs:element name="revisionDate" type="xs:date"/>
      <xs:element name="abstract">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="paragraph" type="ParagraphType"
              minOccurs="1" maxOccurs="unbounded"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="details" type="DetailsType"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:schema>
```

5.11.xsd: Adding <details> (cont.)

```
</xs:complexType>
</xs:element>

<xs:complexType name="ParagraphType" mixed="true">
  <xs:choice minOccurs="0" maxOccurs="unbounded">
    <xs:element name="equipment" type="xs:string"/>
    <xs:element name="supply" type="xs:string"/>
    <xs:element name="warning" type="xs:string"/>
  </xs:choice>
</xs:complexType>

<xs:complexType name="DetailsType">
  <xs:sequence>
    <xs:element name="frequency" type="xs:string"/>
    <xs:element name="duration" type="xs:string"/>
    <xs:element name="steps">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="step" type="StepType"
            minOccurs="1" maxOccurs="unbounded"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
</xs:element>
```

5.11.xsd: Adding <details> (last)

```
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

```
<xs:complexType name="StepType">
  <xs:sequence>
    <xs:element name="paragraph" type="ParagraphType"
      minOccurs="1" maxOccurs="unbounded"/>
  </xs:sequence>
  <xs:attribute name="name" type="xs:string"/>
</xs:complexType>

</xs:schema>
```

About Example 5.11

- The global type definition `ParagraphType` is reused in the definition of `StepType`.

More About Builtin Types

String-Based Types

- `string`, `normalizedString` and `token`
- `Name`
- `NCName`
- `Language`

Numeric Types

- float and double
- decimal
- integer

Date & Time Types

- date
- dateTime
- gYear
- gYearMonth
- gMonth
- gMonthDay
- gDay
- duration

Legacy Types

- ID
- IDREF
- IDREFS
- ENTITY
- ENTITIES
- NMTOKEN
- NMTOKENS
- NOTATION
- QName

Legacy Types (last)

- `boolean`
- `hexBinary` and `base64Binary`
- `anyURI`

Blank Slide

Blank Slide