Chapter 4

How to retrieve data from two or more tables



Objectives

Applied

- 1. Use the explicit syntax to code an inner join that returns data from a single table or multiple tables.
- 2. Use the explicit syntax to code an outer join.
- 3. Code a union that combines data from a single table or multiple tables.



Objectives (continued)

Knowledge

- 1. Explain when column names need to be qualified.
- 2. Describe the proper use of a table alias.
- 3. Describe the differences between an inner join, a left outer join, a right outer join, a full outer join, and a cross join.
- 4. Describe how to combine inner and outer joins.
- 5. Describe the use of the implicit syntax for coding joins.
- 6. Describe the use of the USING and NATURAL keywords for coding joins.



The explicit syntax for an inner join

```
SELECT select_list

FROM table_1

[INNER] JOIN table_2

ON join_condition_1

[[INNER] JOIN table_3

ON join_condition_2]...
```

An inner join of the Vendors and Invoices tables

```
SELECT invoice_number, vendor_name
FROM vendors INNER JOIN invoices
        ON vendors.vendor_id = invoices.vendor_id
ORDER BY invoice number
```

	invoice_number	vendor_name
•	0-2058	Malloy Lithographing Inc
	0-2060	Malloy Lithographing Inc
	0-2436	Malloy Lithographing Inc
	1-200-5164	Federal Express Corporation
	1-202-2978	Federal Express Corporation
	10843	Yesmed, Inc

(114 rows)



The syntax for an inner join that uses table aliases

```
SELECT select_list
FROM table_1 a1
    [INNER] JOIN table_2 a2
        ON a1.column_name operator a2.column_name
    [[INNER] JOIN table_3 a3
        ON a2.column_name operator a3.column_name]...
```



An inner join with aliases for all tables

	invoice_number	vendor_name	invoice_due_date	balance_due
•	547480102	Blue Cross	2022-08-31	224.00
	0-2436	Malloy Lithographing Inc	2022-08-30	10976.06
	9982771	Ford Motor Credit Company	2022-08-23	503.20
	P-0608	Malloy Lithographing Inc	2022-08-22	19351.18
	263253270	Federal Express Corporation	2022-08-21	67.92

(11 rows)



An inner join with an alias for only one table

	invoice_number	line_item_amount	line_item_description
•	177271-001	478.00	Publishers Marketing
	972110	207.78	Prospect list
	133560	175.00	Card deck advertising
	97/522	765.13	Catalog design
	587056	2184.50	PC card deck

(6 rows)



The syntax of a table name that's qualified with a database name

database name.table name

A join to a table in another database

```
SELECT vendor_name, customer_last_name,
    customer_first_name, vendor_state AS state,
    vendor_city AS city
FROM vendors v
    JOIN om.customers c
    ON v.vendor_zip_code = c.customer_zip
ORDER BY state, city
```

	vendor_name	customer_last_name	customer_first_name	state	city	^
١	Wells Fargo Bank	Marissa	Kyle	AZ	Phoenix	
	Aztek Label	Irvin	Ania	CA	Anaheim	
	Zylka Design	Holbrooke	Rashad	CA	Fresno	
	Lou Gentile's Flower Basket	Damien	Deborah	CA	Fresno	
	Costco	Neftaly	Thalia	CA	Fresno	
	Costco	Holbrooke	Rashad	CA	Fresno	
	Shields Design	Damien	Deborah	CA	Fresno	
	Wakefield Co	Holbrooke	Rashad	CA	Fresno	
	Wakefield Co	Neftaly	Thalia	CA	Fresno	
	Gary McKeighan Insurance	Neftaly	Thalia	CA	Fresno	
	Gary McKeighan Insurance	Holbrooke	Rashad	CA	Fresno	
	Digital Dreamworks	Neftaly	Thalia	CA	Fresno	~

(37 rows)



The Customers table

	customer_id	customer_last_name	customer_first_name	customer_address	customer_city	customer_state	^
•	1	Anders	Maria	345 Winchell Pl	Anderson	IN	
	2	Trujillo	Ana	1298 E Smathers St	Benton	AR	
	3	Moreno	Antonio	6925 N Parkland Ave	Puyallup	WA	
	4	Hardy	Thomas	83 d'Urberville Ln	Casterbridge	GA	
	5	Berglund	Christina	22717 E 73rd Ave	Dubuque	IA	
	6	Moos	Hanna	1778 N Bovine Ave	Peoria	IL	~
<						>	

(24 rows)

The Employees table

	employee_id	last_name	first_name	department_number	manager_id
•	1	Smith	Cindy	2	NULL
	2	Jones	Elmer	4	1
	3	Simonian	Ralph	2	2
	4	Hernandez	Olivia	1	9
	5	Aaronsen	Robert	2	4
	6	Watson	Denise	6	8

(9 rows)

An inner join with two conditions

```
SELECT customer_first_name, customer_last_name
FROM customers c JOIN employees e
   ON c.customer_first_name = e.first_name
AND c.customer_last_name = e.last_name
```

```
customer_first_name customer_last_name

Thomas Hardy
```

(1 row)

A self-join that returns vendors from cities in common with other vendors

```
SELECT DISTINCT v1.vendor_name, v1.vendor_city,
    v1.vendor_state
FROM vendors v1 JOIN vendors v2
    ON v1.vendor_city = v2.vendor_city AND
        v1.vendor_state = v2.vendor_state AND
        v1.vendor_name <> v2.vendor_name
ORDER BY v1.vendor state, v1.vendor city
```

	vendor_name	vendor_city	vendor_state
•	Computer Library	Phoenix	AZ
	AT&T	Phoenix	AZ
	Wells Fargo Bank	Phoenix	AZ
	Aztek Label	Anaheim	CA
	Blue Shield of California	Anaheim	CA
	Abbey Office Furnishings	Fresno	CA
	California Business Machines	Fresno	CA
	Postmaster	Fresno	CA

(84 rows)



A statement that joins four tables

```
SELECT vendor_name, invoice_number, invoice_date,
    line_item_amount, account_description
FROM vendors v
    JOIN invoices i
        ON v.vendor_id = i.vendor_id
    JOIN invoice_line_items li
        ON i.invoice_id = li.invoice_id
    JOIN general_ledger_accounts gl
        ON li.account_number = gl.account_number
WHERE invoice_total - payment_total - credit_total > 0
ORDER BY vendor name, line item amount DESC
```

	vendor_name	invoice_number	invoice_date	line_item_amount	account_description	^
•	Blue Cross	547480102	2022-08-01	224.00	Group Insurance	
	Cardinal Business Media, Inc.	134116	2022-07-28	90.36	Direct Mail Advertising	
	Data Reproductions Corp	39104	2022-07-10	85.31	Book Printing Costs	
	Federal Express Corporation	263253270	2022-07-22	67.92	Freight	
	Federal Express Corporation	263253268	2022-07-21	59.97	Freight	
	Federal Express Corporation	963253264	2022-07-18	52.25	Freight	
	Federal Express Corporation	263253273	2022-07-22	30.75	Freight	
	Ford Motor Credit Company	9982771	2022-07-24	503.20	Travel and Accomodations	
	Ingram	31361833	2022-07-21	579.42	Books, Dues, and Subscriptions	~

(11 rows)



The implicit syntax for an inner join

```
SELECT select_list
FROM table_1, table_2 [, table_3]...
WHERE table_1.column_name operator table_2.column_name
  [AND table_2.column_name operator table_3.column_name]...
```

Join the Vendors and Invoices tables

```
SELECT invoice_number, vendor_name
FROM vendors v, invoices i
WHERE v.vendor_id = i.vendor_id
ORDER BY invoice number
```

	invoice_number	vendor_name
•	0-2058	Malloy Lithographing Inc
	0-2060	Malloy Lithographing Inc
	0-2436	Malloy Lithographing Inc
	1-200-5164	Federal Express Corporation
	1-202-2978	Federal Express Corporation

(114 rows)



Join four tables

```
SELECT vendor_name, invoice_number, invoice_date,
    line_item_amount, account_description
FROM vendors v, invoices i, invoice_line_items li,
    general_ledger_accounts gl
WHERE v.vendor_id = i.vendor_id
AND i.invoice_id = li.invoice_id
AND li.account_number = gl.account_number
AND invoice_total - payment_total - credit_total > 0
ORDER BY vendor name, line item amount DESC
```

	vendor_name	invoice_number	invoice_date	line_item_amount	account_description	^
١	Blue Cross	547480102	2022-08-01	224.00	Group Insurance	
	Cardinal Business Media, Inc.	134116	2022-07-28	90.36	Direct Mail Advertising	
	Data Reproductions Corp	39104	2022-07-10	85.31	Book Printing Costs	
	Federal Express Corporation	263253270	2022-07-22	67.92	Freight	
	Federal Express Corporation	263253268	2022-07-21	59.97	Freight	
	Federal Express Corporation	963253264	2022-07-18	52.25	Freight	
	Federal Express Corporation	263253273	2022-07-22	30.75	Freight	
	Ford Motor Credit Company	9982771	2022-07-24	503.20	Travel and Accomodations	
	Ingram	31361833	2022-07-21	579 42	Books Dues and Subscriptions	~

(11 rows)



Terms to know about inner joins

- Join
- Join condition
- Inner join
- Ad hoc relationship
- Qualified column name
- Table alias
- Schema
- Self-join
- Explicit syntax (SQL-92)
- Implicit syntax



The explicit syntax for an outer join

```
SELECT select_list
FROM table_1
     {LEFT|RIGHT} [OUTER] JOIN table_2
        ON join_condition_1
     [{LEFT|RIGHT} [OUTER] JOIN table_3
        ON join_condition_2]...
```

What outer joins do

Joins of this type Retrieve unmatched rows from

Left outer join The first (left) table

Right outer join The second (right) table



A left outer join of the Vendors and Invoices tables

```
SELECT vendor_name, invoice_number, invoice_total
FROM vendors LEFT JOIN invoices
        ON vendors.vendor_id = invoices.vendor_id
ORDER BY vendor_name
```

	vendor_name	invoice_number	invoice_total
•	Abbey Office Furnishings	203339-13	17.50
	American Booksellers Assoc	NULL	NULL
	American Express	NULL	NULL
	ASC Signs	NULL	NULL
	Ascom Hasler Mailing Systems	NULL	NULL

(202 rows)



The Departments table

	department_number	department_name
•	1	Accounting
	2	Payroll
	3	Operations
	4	Personnel
	5	Maintenance

The Employees table

	employee_id	last_name	first_name	department_number	manager_id
•	1	Smith	Cindy	2	NULL
	2	Jones	Elmer	4	1
	3	Simonian	Ralph	2	2
	4	Hernandez	Olivia	1	9
	5	Aaronsen	Robert	2	4
	6	Watson	Denise	6	8
	7	Hardy	Thomas	5	2
	8	O'Leary	Rhea	4	9
	9	Locario	Paulo	6	1

The Projects table

	project_number	employee_id
•	P1011	8
	P1011	4
	P1012	3
	P1012	1
	P1012	5
	P1013	6
	P1013	9
	P1014	10



A left outer join

```
SELECT department_name, d.department_number, last_name
FROM departments d
    LEFT JOIN employees e
    ON d.department_number = e.department_number
ORDER BY department_name
```

	department_name	department_number	last_name
•	Accounting	1	Hernandez
	Maintenance	5	Hardy
	Operations	3	NULL
	Payroll	2	Smith
	Payroll	2	Simonian
	Payroll	2	Aaronsen
	Personnel	4	Jones
	Personnel	4	O'Leary

(8 rows)



A right outer join

```
SELECT department_name, e.department_number, last_name
FROM departments d
    RIGHT JOIN employees e
    ON d.department_number = e.department_number
ORDER BY department_name
```

	department_name	department_number	last_name
•	NULL	6	Watson
	NULL	6	Locario
	Accounting	1	Hernandez
	Maintenance	5	Hardy
	Payroll	2	Smith
	Payroll	2	Simonian
	Payroll	2	Aaronsen
	Personnel	4	Jones
	Personnel	4	O'Leary

(9 rows)



Join three tables using left outer joins

```
SELECT department_name, last_name, project_number
FROM departments d
    LEFT JOIN employees e
        ON d.department_number = e.department_number
    LEFT JOIN projects p
        ON e.employee_id = p.employee_id
ORDER BY department_name, last_name
```

	department_name	last_name	project_number
•	Accounting	Hernandez	P1011
	Maintenance	Hardy	NULL
	Operations	NULL	NULL
	Payroll	Aaronsen	P1012
	Payroll	Simonian	P1012
	Payroll	Smith	P1012
	Personnel	Jones	NULL
	Personnel	O'Leary	P1011

(8 rows)



Combine an outer and an inner join

```
SELECT department_name, last_name, project_number
FROM departments d
    JOIN employees e
        ON d.department_number = e.department_number
    LEFT JOIN projects p
        ON e.employee_id = p.employee_id
ORDER BY department_name, last_name
```

	department_name	last_name	project_number
•	Accounting	Hernandez	P1011
	Maintenance	Hardy	NULL
	Payroll	Aaronsen	P1012
	Payroll	Simonian	P1012
	Payroll	Smith	P1012
	Personnel	Jones	NULL
	Personnel	O'Leary	P1011

(7 rows)



The syntax for a join that uses the USING keyword

```
SELECT select_list
FROM table_1
    [{LEFT|RIGHT} [OUTER]] JOIN table_2
        USING (join_column_1[, join_column_2]...)
    [[{LEFT|RIGHT} [OUTER]] JOIN table_3
        USING (join_column_1[, join_column_2]...)]...
```

Use the USING keyword to join two tables

```
SELECT invoice_number, vendor_name
FROM vendors

JOIN invoices USING (vendor_id)
ORDER BY invoice_number
```

	invoice_number	vendor_name
•	0-2058	Malloy Lithographing Inc
	0-2060	Malloy Lithographing Inc
	0-2436	Malloy Lithographing Inc
	1-200-5164	Federal Express Corporation
	1-202-2978	Federal Express Corporation
	10843	Yesmed, Inc

(114 rows)



Use the USING keyword to join three tables

```
SELECT department_name, last_name, project_number
FROM departments
    JOIN employees USING (department_number)
    LEFT JOIN projects USING (employee_id)
ORDER BY department name
```

	department_name	last_name	project_number
•	Accounting	Hernandez	P1011
	Maintenance	Hardy	NULL
	Payroll	Simonian	P1012
	Payroll	Smith	P1012
	Payroll	Aaronsen	P1012
	Personnel	O'Leary	P1011
	Personnel	Jones	NULL

```
(7 rows)
```



The syntax for a join that uses the NATURAL keyword

```
SELECT select_list
FROM table_1
NATURAL JOIN table_2
[NATURAL JOIN table 3]...
```

Use the NATURAL keyword to join tables

```
SELECT invoice_number, vendor_name
FROM vendors
NATURAL JOIN invoices
ORDER BY invoice number
```

	invoice_number	vendor_name
•	0-2058	Malloy Lithographing Inc
	0-2060	Malloy Lithographing Inc
	0-2436	Malloy Lithographing Inc
	1-200-5164	Federal Express Corporation
	1-202-2978	Federal Express Corporation
	10843	Yesmed, Inc

(114 rows)



Use the NATURAL keyword in a statement that joins three tables

```
SELECT department_name AS dept_name, last_name, project_number

FROM departments

NATURAL JOIN employees

LEFT JOIN projects USING (employee_id)

ORDER BY department name
```

	dept_name	last_name	project_number
•	Accounting	Hernandez	P1011
	Maintenance	Hardy	NULL
	Payroll	Simonian	P1012
	Payroll	Smith	P1012
	Payroll	Aaronsen	P1012
	Personnel	O'Leary	P1011
	Personnel	Jones	NULL

(7 rows)



The explicit syntax for a cross join

```
SELECT select_list
FROM table 1 CROSS JOIN table 2
```

A cross join that uses the explicit syntax

	department_number	department_name	employee_id	last_name
•	1	Accounting	2	Jones
	1	Accounting	7	Hardy
	1	Accounting	4	Hernandez
	1	Accounting	1	Smith
	1	Accounting	9	Locario

(45 rows)



The implicit syntax for a cross join

```
SELECT select_list
FROM table 1, table 2
```

A cross join that uses the implicit syntax

	department_number	department_name	employee_id	last_name
•	1	Accounting	2	Jones
	1	Accounting	7	Hardy
	1	Accounting	4	Hernandez
	1	Accounting	1	Smith
	1	Accounting	9	Locario

(45 rows)



Terms to know about other types of joins

- Outer join
- Left outer join
- Right outer join
- Equijoin
- Natural join
- Cross join
- Cartesian product



The syntax for a union operation

```
SELECT_statement_1
UNION [ALL]

SELECT_statement_2
[UNION [ALL]

SELECT_statement_3]...
[ORDER BY order by list]
```

Rules for a union

- Each result set must return the same number of columns.
- The corresponding columns in each result set must have compatible data types.
- The column names in the final result set are taken from the first SELECT clause.



A union that combines result sets from two different tables

	source	invoice_number	invoice_date	invoice_total
•	Active	40318	2018-07-18	21842.00
	Paid	P02-3772	2018-06-03	7125.34
	Paid	10843	2018-06-04	4901.26
	Paid	77290	2018-06-04	1750.00
	Paid	RTR-72-3662-X	2018-06-04	1600.00
	Paid	75C-90227	2018-06-06	1367.50
	Paid	P02-88D77S7	2018-06-06	856.92
	Active	I77271-O01	2018-06-05	662.00
	Active	9982771	2018-06-03	503.20

(22 rows)



A union that combines result sets from a single table

```
SELECT 'Active' AS source, invoice_number,
        invoice_date, invoice_total
FROM invoices
WHERE invoice_total - payment_total - credit_total > 0
UNION
SELECT 'Paid' AS source, invoice_number,
        invoice_date, invoice_total
FROM invoices
WHERE invoice_total - payment_total - credit_total <= 0
ORDER BY invoice total DESC</pre>
```

	source	invoice_number	invoice_date	invoice_total
•	Paid	0-2058	2022-05-28	37966.19
	Paid	P-0259	2022-07-19	26881.40
	Paid	0-2060	2022-07-24	23517.58
	Paid	40318	2022-06-01	21842.00
	Active	P-0608	2022-07-23	20551.18
	Active	0-2436	2022-07-31	10976.06
	Paid	P02-3772	2022-05-21	7125.34
	Paid	509786	2022-06-18	6940.25
	Paid	10843	2022-05-11	4901 26

(114 rows)



A union that combines result sets from the same two tables

```
SELECT invoice number, vendor name,
        '33% Payment' AS payment type,
        invoice total AS total,
        invoice total * 0.333 AS payment
    FROM invoices JOIN vendors
        ON invoices.vendor id = vendors.vendor id
    WHERE invoice total > 10000
UNION
    SELECT invoice number, vendor name,
        '50% Payment' AS payment type,
        invoice total AS total,
        invoice total * 0.5 AS payment
    FROM invoices JOIN vendors
        ON invoices.vendor id = vendors.vendor id
    WHERE invoice total BETWEEN 500 AND 10000
```



A union that combines result sets from the same two tables (continued)

```
UNION
```

```
SELECT invoice_number, vendor_name,

'Full amount' AS payment_type,

invoice_total AS total,

invoice_total AS payment

FROM invoices JOIN vendors

ON invoices.vendor_id = vendors.vendor_id

WHERE invoice_total < 500

ORDER BY payment type, vendor name, invoice number
```

ir	nvoice_number	vendor_name	payment_type	total	payment	
▶ 40	0318	Data Reproductions Corp	33% Payment	21842.00	7273.38600	
0-	-2058	Malloy Lithographing Inc	33% Payment	37966.19	12642.74127	
0-	-2060	Malloy Lithographing Inc	33% Payment	23517.58	7831.35414	
0-	-2436	Malloy Lithographing Inc	33% Payment	10976.06	3655.02798	
p.	-0259	Malloy Lithographing Inc	33% Payment	26881.40	8951.50620	
p.	-0608	Malloy Lithographing Inc	33% Payment	20551.18	6843.54294	
50	09786	Bertelsmann Industry Svcs. Inc	50% Payment	6940.25	3470.12500	
58	87056	Cahners Publishing Company	50% Payment	2184.50	1092.25000	
3/	67447	Computerworld	50% Payment	2433.00	1216 50000	

(114 rows)



A union that simulates a full outer join

```
SELECT department name AS dept name,
           d.department number AS d dept no,
           e.department number AS e dept no, last name
    FROM departments d
        LEFT JOIN employees e
        ON d.department number = e.department number
UNION
    SELECT department name AS dept name,
           d.department number AS d dept no,
           e.department number AS e dept no, last name
    FROM departments d
        RIGHT JOIN employees e
        ON d.department number = e.department number
ORDER BY dept name
```



A union that simulates a full outer join (result set)

	dept_name	d_dept_no	e_dept_no	last_name
•	NULL	NULL	6	Watson
	NULL	NULL	6	Locario
	Accounting	1	1	Hernandez
	Maintenance	5	5	Hardy
	Operations	3	NULL	NULL
	Payroll	2	2	Smith
	Payroll	2	2	Simonian
	Payroll	2	2	Aaronsen
	Personnel	4	4	Jones
	Personnel	4	4	O'Leary

(10 rows)



Terms to know about unions

- Union
- Full outer join

